INDEX TO AUTHORS

A

de Aberle, S. B., Hoskins, W. M., and Bodansky, Meyer. Cholesterol, lecithin, and fatty acids in the blood of new born mice with inherited anemia and their normal litter mates, 643

Arnold, Rossleene M., and Mendel, Lafayette B. Interrelationships between the chemical composition of the blood and the lymph of the dog, 189

Austin, J. Harold, Sunderman, F. William, and Camack, J. G. Studies in serum electrolytes. II. The electrolyte composition and the pH of serum of a poikilothermous animal at different temperatures, 677

B

Bass, Lawrence W. See LEVENE, BASS, STEIGER, and BENCOWITZ, 815

Beber, M. See MORGULIS and BEBER, 91

Bencowitz, Isaac. See LEVENE, BASS, STEIGER, and BENCOWITZ, 815

—. See LEVENE and BENCOWITZ, 627

Benedict, Stanley R. See NEWTON, BENEDICT, and DAKIN, 367

Berger, John. See BLATHERWICK, BISCHOFF, MAXWELL, BERGER, and SAHYUN, 57

Bethke, R. M., Kennard, D. C., and Sassaman, H. L. The fat-soluble vitamin content of hen's egg yolk as affected by the ration and management of the layers, 695

Beutner, R., and Menitoff, A. Influence of salt content of colloids upon their electromotive forces which may explain bioelectric currents, 759

Bills, Charles E. Antiricketic substances. VI. The distribution of vitamin D, with some notes on its possible origin, 751

— and **McDonald, Francis G.** Antiricketic substances. V. The action of ultra-violet rays on the ethers and esters of cholesterol, 13

— and —. The catalytic formation of mixed cholesteryl ethers, 1

Bischoff, Fritz. See BLATHERWICK, BISCHOFF, MAXWELL, BERGER, and SAHYUN, 57

—. See MAXWELL, BISCHOFF, and BLATHERWICK, 51

Blatherwick, N. R., Bischoff, Fritz, Maxwell, L. C., Berger, John, and Sahyun, Melville. Studies on insulin, 57

XUM

Blatherwick, N. R. See MAXWELL, BISCHOFF, and BLATHERWICK, 51
Bloor, W. R. Distribution of unsaturated fatty acids in tissues. II. Voluntary muscle of beef, 327
Bodansky, Meyer. See DE ABERLE, HOSKINS, and BODANSKY, 643
Bodansky, Oscar. See LOEB and BODANSKY, 415
Boyden, Ruth E. See OKEY and BOYDEN, 261
Brocklehurst, R. J., and **Henderson, Yandell.** The buffering of the tissues as indicated by the CO_2 capacity of the body, 665
Buell, Mary V., and **Perkins, Marie E.** Crystalline guanine nucleotide, 21
— and —. Oxyadenine, 745
Burge, W. E., and **Wickwire, George C.** The decrease in sugar metabolism and destruction of insulin by ultraviolet radiation, 827
Burtis, M. P. See QUINN, BURTIS, and MILNER, 557

C

Calvery, H. O. The action of sodium carbonate on yeast nucleic acid, 27
—. The chemistry of tea leaves. II. The isolation of guanine nucleotide and cytosine nucleotide, 549
Camack, J. G. See AUSTIN, SUNDERMAN, and CAMACK, 677
Chapman, L. M., Greenberg, David M., and **Schmidt, Carl L. A.** Studies on the nature of the combination between certain acid dyes and proteins, 707
Cori, Carl F., and **Cori, Gerty T.** The fate of sugar in the animal body. IV. The tolerance of normal and insulinized rats for intravenously injected glucose and fructose, 597
—. See CORI and CORI, 615
Cori, Gerty T., and **Cori, Carl F.** The fate of sugar in the animal body. V. A seasonal occurrence of ketonuria in fasting rats accompanied by changes in carbohydrate metabolism, 615
—. See CORI and CORI, 597
Coward, Katharine H. The influence of light and heat on the formation of vitamin A in plant tissues, 781
—. See STEENBOCK and COWARD, 765

D

Dakin, H. D. See NEWTON, BENEDICT, and DAKIN, 367
DeLong, W. A. Note on the effect of potassium iodide in the Shaffer-Hartmann micro sugar reagent, 731
Denis, W., and **Reed, Lucille.** The action of blood on sulfides, 385
Dill, D. B. The behavior of the prolamins in mixed solvents. II, 239
Drinker, Katherine R., Fehnel, J. W., and **Marsh, Marion.**

The normal excretion of zinc in the urine and feces of man, 375

E

Eagles, Blythe Alfred. See HUNTER and EAGLES, 123, 133, 147, 167, 177

Elvehjem, C. A. See HART, ELVEHJEM, WADDELL, and HERRIN, 299

F

Falk, K. George, and Noyes, Helen Miller. Studies on enzyme action. XLI. Time changes in ester-hydrolyzing actions of extracts of whole mice of different ages, 467

— and —. XLIII. Time changes in ester-hydrolyzing actions of extracts of some rabbit tissues, 489

—. See NOYES and FALK, 449, 475

Fehnel, J. W. See DRINKER, FEHNEL, and MARSH, 375

Fink, David E. A modified electro-Gutzeit apparatus for the quantitative estimation of minute amounts of arsenic in insect tissue, 737

G

Gibbs, H. D. Phenol tests. III. The indophenol test, 649

Goebel, Walther F. On the oxidation of glucose in alkaline solutions of iodine, 801

—. The preparation of hexonic and bionic acids by oxidation of aldoses with barium hypoiodite, 809

Goldblatt, Harry, and Moritz, Alan R. The effect of heat and oxidation on the nutritive value of a protein, 321

Gortner, Ross Aiken, and Hoffman, Walter F. Sulfur in proteins. III. Derivatives of *l*- and *i*-cystine, 433

Greenberg, David M. See CHAPMAN, GREENBERG, and SCHMIDT, 707

Grollman, Arthur. The condition of the inorganic phosphorus of the blood with special reference to the calcium concentration, 565

Guttmacher, M. S., and Weiss, Robert. The influence of urethane narcosis upon the specific dynamic action of glycocoll and glucose in rabbits, 283

H

Haller, H. L. See LEVENE, HALLER, and WALTI, 591

Hammett, Frederick S. Studies of the thyroid apparatus. XLIV. The rôle of the thyroid and parathyroid glands in the chemical differentiation of bone during growth. (Ash, organic matter, and water.), 505

—. XLV. The rôle of the thyroid and parathyroid glands in the chemical differentiation of bone during growth. (Calcium, magnesium, phosphorus.), 527

Hart, E. B., Elvehjem, C. A., Waddell, J., and Herrin, R. C. Iron in nutrition. IV. Nutritional anemia on whole

XUM

milk diets and its correction with the ash of certain plant and animal tissues or with soluble iron salts, 299

Hart, Merrill, C., and Heyl, Frederick W. The chemical studies of the ovary. XII. The fatty acids of the lecithin from corpus luteum, 395

Henderson, Yandell. See Brocklehurst and Henderson, 665

Herrin, R. C. See Hart, Elvehjem, Waddell, and Herrin, 299

Hetler, Donald M. The chemical study of bacteria. XIV. A preliminary study of *Bacillus lactis aerogenes* grown on synthetic media, 573

Heyl, Frederick W. See Hart and Heyl, 395

Hoffman, Walter F. See Gortner and Hoffman, 433

Hopkins, Frederick Gowland. On the isolation of glutathione, 185

Hoskins, W. M. See de Aberle, Hoskins, and Bodansky, 643

Hunter, George, and Eagles, Blythe Alfred. The colorimetric estimation of cystine and glutathione, 177

— and —. Glutathione. A critical study, 147

— and —. Non-protein sulfur compounds of blood. I. Sympectothion, 123

— and —. II. Glutathione, 133

— and —. On the presence of cystine in liver, 167

K

Karr, Walter G. See Reinhold and Karr, 345

Kendall, Edward C. Isolation of thyroxin, 213

Kennard, D. C. See Bethke, Kennard, and Sassaman, 695

Koehler, Alfred E. The effect of acid and base ingestion upon the acid-base balance, 99

Kubie, Lawrence S. The solubility of O_2, CO_2, and N_2 in mineral oil, and the transfer of carbon dioxide from oil to air, 545

L

Leavenworth, Charles S. See Vickery and Leavenworth, 403

Levene, P. A., Bass, Lawrence W., Steiger, Robert E., and Bencowitz, Isaac. The effect of ionization upon optical rotation. II. Relations in the series of amino acids, polypeptides, and ketopiperazines, 815

— and **Bencowitz, Isaac.** Acetyl monoses. III. On α-mannose pentacetate, 627

—, **Haller, H. L., and Walti, A.** Configurational relationships of methylethyl and methylpropyl carbinols, 591

— and **Rolf, Ida P.** The preparation and purification of lecithin, 587

Levine, Harold, and Smith, Arthur H. Growth experiments on diets rich in fat, 223

Loeb, Leo, and **Bodansky, Oscar.** The specific effect of salts in the extraction of urease from the amebocytes of *Limulus*, 415

Loeb, Robert F., and **Nichols, Emily G.** Factors influencing the diffusibility of calcium in human blood serum, 687

M

Manning, Helen M. See MENTEN and MANNING, 255

Marsh, Marion. See DRINKER, FEHNEL, and MARSH, 375

Maxwell, L. C., Bischoff, Fritz, and **Blatherwick, N. R.** Micro methods for the determination of labile and total sulfur in proteins, 51

—. See BLATHERWICK, BISCHOFF, MAXWELL, BERGER, and SAHYUN, 57

McDonald, Francis G. See BILLS and MCDONALD, 1, 13

Mendel, Lafayette B. See ARNOLD and MENDEL, 189

Menitoff, A. See BEUTNER and MENITOFF, 759

Menten, Maud L. Changes in the blood sugar of the cod, sculpin, and pollock during asphyxia, 249

— and **Manning, Helen M.** Hyperglycemia and hypoglycemia produced by Witte's peptone, 255

Milner, E. W. See QUINN, BURTIS, and MILNER, 557

Morgulis, Sergius, and **Beber, M.** Studies on the effect of temperature on the catalase reaction. V. The temperature correction in catalase determinations, 91

Moritz, Alan R. See GOLDBLATT and MORITZ, 321

N

Newton, Eleanor B., Benedict, Stanley R., and **Dakin, H. D.** On thiasine, its structure and identification with ergothioneine, 367

Nichols, Emily G. See LOEB and NICHOLS, 687

Noyes, Helen Miller, and **Falk, K. George.** Studies on enzyme action. XL. Time changes in ester-hydrolyzing actions of extracts of whole rats of different ages, 449

— and —. XLII. Time changes in ester-hydrolyzing actions of extracts of the two types of uterine fibroids and of uterine muscle of human origin, 475

—. See FALK and NOYES, 467, 489

O

von Oettingen, W. F., and **Sollmann, Torald.** On the action of mercuric chloride and of hydrogen dioxide on bile pigments, 635

Okey, Ruth, and **Boyden, Ruth E.** Studies of the metabolism of women. III. Variations in the lipid content of blood in relation to the menstrual cycle, 261

XUM

P

Perkins, Marie E. See BUELL and PERKINS, 21, 745

Q

Quinn, E. J., Burtis, M. P., and Milner, E. W. Quantitative studies of vitamins A, B, and C in green plant tissues other than leaves, 557

R

Reed, Lucille. See DENIS and REED, 385

Reinhold, John G., and Karr, Walter G. Carbohydrate utilization. II. Rate of disappearance of various carbohydrates from the blood, 345

Robscheit-Robbins, Frieda S. See VAN SLYKE and ROBSCHEIT-ROBBINS, 39

Rolf, Ida P. See LEVENE and ROLF, 587

S

Sahyun, Melville. See BLATHERWICK, BISCHOFF, MAXWELL, BERGER, and SAHYUN, 57

Sassaman, H. L. See BETHKE, KENNARD, and SASSAMAN, 695

Schmidt, Carl L. A. See CHAPMAN, GREENBERG, and SCHMIDT, 707

Smith, Arthur H. See LEVINE and SMITH, 223

Sollmann, Torald. See VON OETTINGEN and SOLLMANN, 635

Steenbock, H., and Coward, Katharine H. Fat-soluble vitamins. XXVII. The quantitative determination of vitamin A, 765

Steiger, Robert E. See LEVENE, BASS, STEIGER, and BENCOWITZ, 815

Sunderman, F. William. See AUSTIN, SUNDERMAN, and CAMACK, 677

V

Van Slyke, Donald D., and Robscheit-Robbins, Frieda S. The gasometric determination of small amounts of carbon monoxide in blood, and its application to blood volume studies, 39

Vickery, Hubert Bradford, and Leavenworth, Charles S. On the separation of histidine and arginine. II. The separation of the silver compounds at pH 7.0, 403

W

Waddell, J. See HART, ELVEHJEM, WADDELL, and HERRIN, 299

Walti, A. See LEVENE, HALLER, and WALTI, 591

Weiss, Robert. See GUTTMACHER and WEISS, 283

Wickwire, George C. See BURGE and WICKWIRE, 827

INDEX TO SUBJECTS.

A

Acetyl monoses:
III (LEVENE and BENCOWITZ) 627

Acid:
-base balance, acid and base ingestion, effect (KOEHLER) 99
Dyes and proteins, nature of combination between (CHAPMAN, GREENBERG, and SCHMIDT) 707
Ingestion, acid-base balance, effect (KOEHLER) 99

Aldoses:
Oxidation, with barium hypoiodite, preparation of hexonic and bionic acids (GOEBEL) 809

Alkali:
Glucose oxidation in alkaline solutions of iodine (GOEBEL) 801

Amebocyte:
Limulus, specific effect of salts in extraction of urease from (LOEB and BODANSKY) 415

Amino acid(s):
Ionization effect upon optical rotation (LEVENE, BASS, STEIGER, and BENCOWITZ) 815

Anemia:
Cholesterol, blood, new born mice (DE ABERLE, HOSKINS, and BODANSKY) 643
Fatty acids, blood, new born mice (DE ABERLE, HOSKINS, and BODANSKY) 643
Lecithin, blood, new born mice (DE ABERLE, HOSKINS, and BODANSKY) 643
Nutritional, ash of plant and animal tissues for correction (HART, ELVEHJEM, WADDELL, and HERRIN) 299
—, soluble iron salts for correction (HART, ELVEHJEM, WADDELL, and HERRIN) 299

Apparatus:
Electro-Gutzeit, arsenic estimation, quantitative, in insect tissue (FINK) 737

Arginine:
Histidine, separation. II (VICKERY and LEAVENWORTH) 403

Arsenic:
Insect tissue, electro-Gutzeit apparatus for quantitative estimation (FINK) 737

XUM

Ash:
Animal tissues, nutritional anemia, correction with (HART, ELVEHJEM, WADDELL, and HERRIN) 299
Bone, during growth, parathyroid gland, rôle (HAMMETT) 505
—, — —, thyroid gland, rôle (HAMMETT) 505
Plant tissues, nutritional anemia correction with (HART, ELVEHJEM, WADDELL, and HERRIN) 299

Asphyxia:
Blood sugar changes during, in cod, sculpin, and pollock (MENTEN) 249

B

Bacillus:
lactis aerogenes, chemical study (HETLER) 573

Bacteria:
Chemical study. XIV (HETLER) 573

Barium hypoiodite:
Oxidation of aldoses with, preparation of hexonic and bionic acids (GOEBEL) 809

Base:
Acid-base balance, acid and base ingestion, effect (KOEHLER) 99
Ingestion, acid-base balance, effect (KOEHLER) 99

Beef:
Muscle, voluntary, unsaturated fatty acids, distribution (BLOOR) 327

Bile:
Pigments, hydrogen dioxide action on (VON OETTINGEN and SOLLMANN) 635
—, mercuric chloride action on (VON OETTINGEN and SOLLMANN) 635

Bioelectric:
Currents, explanation by influence of salt content of colloids upon their electromotive forces (BEUTNER and MENITOFF) 759

Bionic acid(s):
Oxidation of aldoses with barium hypoiodite, preparation (GOEBEL) 809

Blood:
Carbohydrates, rate of disappearance from (REINHOLD and KARR) 345
Carbon monoxide, gasometric determination of small amounts (VAN SLYKE and ROBSCHEIT-ROBBINS) 39
Chemical composition, and lymph, interrelationships (ARNOLD and MENDEL) 189
Cholesterol, new born mice with inherited anemia (DE ABERLE, HOSKINS, and BODANSKY) 643
Fatty acids, new born mice with inherited anemia (DE ABERLE, HOSKINS, and BODANSKY) 643
Glutathione (HUNTER and EAGLES) 133

Blood—*continued:*
Inorganic phosphorus, condition with reference to calcium concentration (GROLLMAN) 565
Lecithin, new born mice with inherited anemia (DE ABERLE, HOSKINS, and BODANSKY) 643
Lipid content, variation in relation to menstrual cycle (OKEY and BOYDEN) 261
Serum, calcium diffusibility (LOEB and NICHOLS) 687
Sugar changes during asphyxia in cod, sculpin, and pollock (MENTEN) 249
Sulfides acted upon by (DENIS and REED) 385
Sulfur compounds, nonprotein. I (HUNTER and EAGLES) 123
— —, —. II (HUNTER and EAGLES) 133
Sympectothion (HUNTER and EAGLES) 123
Volume estimation by carbon monoxide determination (VAN SLYKE and ROBSCHEIT-ROBBINS) 39

Bone:
Chemical differentiation during growth, parathyroid gland, rôle (HAMMETT) 505, 527
— — — —, thyroid gland, rôle (HAMMETT) 505, 527

Buffer:
Tissues, buffering of, indicated by carbon dioxide capacity of body (BROCKLEHURST and HENDERSON) 665

C

Calcium:
Bone, during growth, parathyroid gland, rôle (HAMMETT) 527
—, — —, thyroid gland, rôle (HAMMETT) 527
Concentration, reference to inorganic phosphorus of blood (GROLLMAN) 565
Diffusibility in blood serum (LOEB and NICHOLS) 687

Carbohydrate:
Metabolism, changes in, accompanied by ketonuria in fasting rats (CORI and CORI) 615
Rate of disappearance from blood (REINHOLD and KARR) 345
Utilization. II (REINHOLD and KARR) 345

Carbon dioxide:
Capacity, body, buffering of tissues indicated by (BROCKLEHURST and HENDERSON) 665
Solubility in mineral oil and transfer of carbon dioxide from oil to air (KUBIE) 545

XUM

Carbon monoxide:
Blood, gasometric determination of small amounts (VAN SLYKE and ROBSCHEIT-ROBBINS) 39

Catalase:
Temperature correction in determinations of (MORGULIS and BEBER) 91
— effect on reaction. V (MORGULIS and BEBER) 91

Catalysis:
Cholesteryl ethers, mixed, catalytic formation (BILLS and MCDONALD) 1

Cholesterol:
Blood, new born mice with inherited anemia (DE ABERLE, HOSKINS, and BODANSKY) 643
Esters, ultra-violet rays, action (BILLS and MCDONALD) 13
Ethers, ultra-violet rays, action (BILLS and MCDONALD) 13

Cholesteryl:
Ethers, mixed, catalytic formation (BILLS and MCDONALD) 1

Cod:
Blood sugar changes during asphyxia (MENTEN) 249

Colloid:
Salt content, influence upon electromotive forces (BEUTNER and MENITOFF) 759

Colorimetry:
Cystine, colorimetric estimation (HUNTER and EAGLES) 177

Colorimetry—*continued:*
Glutathione, colorimetric estimation (HUNTER and EAGLES) 177

Corpus luteum:
Fatty acids of lecithin from (HART and HEYL) 395

Cystine:
Colorimetric estimation (HUNTER and EAGLES) 177
Liver (HUNTER and EAGLES) 167

***i*-Cystine:**
Derivatives (GORTNER and HOFFMAN) 433

***l*-Cystine:**
Derivatives (GORTNER and HOFFMAN) 433

Cytosine:
Nucleotide, tea leaves, isolation (CALVERY) 549

D

Diet:
Fat-rich, growth on (LEVINE and SMITH) 223
Fat-soluble vitamin content of egg yolk, affected by (BETHKE, KENNARD, and SASSAMAN) 695
Whole milk, nutritional anemia on, ash of plant and animal tissues for correction (HART, ELVEHJEM, WADDELL, and HERRIN) 299

Diffusion:
Calcium diffusibility in blood serum (LOEB and NICHOLS) 687

Dye:
Acid, and proteins, nature of combination between (CHAPMAN, GREENBERG, and SCHMIDT) 707

E

Egg:
Fat-soluble vitamin content of yolk, affected by ration and management (BETHKE, KENNARD, and SASSAMAN) 695

Electro-Gutzeit:
Apparatus, arsenic estimation, quantitative, in insect tissue (FINK) 737

Electrolyte:
Serum. II (AUSTIN, SUNDERMAN, and CAMACK) 677
— composition of poikilothermous animal at different temperatures (AUSTIN, SUNDERMAN, and CAMACK) 677

Electromotive force:
Colloids, salt content, influence upon (BEUTNER and MENITOFF) 759

Enzyme:
Action. XL (NOYES and FALK) 449
—. XLI (FALK and NOYES) 467
—. XLII (NOYES and FALK) 475
—. XLIII (FALK and NOYES) 489

Equilibrium:
Acid-base, acid and base ingestion, effect (KOEHLER) 99

Ergothioneine:
Thiasine identified with (NEWTON, BENEDICT, and DAKIN) 367

Ester(s):
Cholesterol, ultra-violet rays, action (BILLS and MCDONALD) 13
-hydrolyzing actions of human uterine fibroid and muscle extracts, time changes in (NOYES and FALK) 475
— — — rabbit tissue extracts, time changes in (FALK and NOYES) 489
— — — whole mouse extracts, time changes in (FALK and NOYES) 467
— — — — rat extracts, time changes in (NOYES and FALK) 449

Ether(s):
Cholesterol, ultra-violet rays, action (BILLS and MCDONALD) 13
Cholesteryl, mixed, catalytic formation (BILLS and MCDONALD) 1

Excretion:
Zinc, in urine and feces (DRINKER, FEHNEL, and MARSH) 375

Extract:
Fibroids, uterine, human, time changes in ester-hydrolyzing actions (NOYES and FALK) 475
Mouse, whole, time changes in ester-hydrolyzing actions (FALK and NOYES) 467

Extract—*continued:*
Muscle, uterine, human, time changes in ester-hydrolyzing actions (NOYES and FALK) 475
Rabbit tissues, time changes in ester-hydrolyzing actions (FALK and NOYES) 489
Rat, whole, time changes in ester-hydrolyzing actions (NOYES and FALK) 449

F

Fasting:
Ketonuria during, accompanied by changes in carbohydrate metabolism (CORI and CORI) 615

Fat:
Diet rich in, growth on (LEVINE and SMITH) 223
Growth on diets rich in (LEVINE and SMITH) 223
-soluble vitamin content of egg yolk, affected by ration and management (BETHKE, KENNARD, and SASSAMAN) 695
— vitamins. XXVII (STEENBOCK and COWARD) 765

Fatty acid(s):
Blood, new born mice with inherited anemia (DE ABERLE, HOSKINS, and BODANSKY) 643
Lecithin from corpus luteum (HART and HEYL) 395

Fatty acid(s)—*continued:*
Unsaturated, tissue distribution. II (BLOOR) 327

Feces:
Zinc excretion (DRINKER, FEHNEL, and MARSH) 375

Fibroid:
Uterine, human, time changes in ester-hydrolyzing actions of extracts (NOYES and FALK) 475

Fructose:
Intravenously injected, tolerance of normal and insulinized rats (CORI and CORI) 597

G

Gas:
Carbon monoxide in blood, gasometric determination of small amounts (VAN SLYKE and ROBSCHEIT-ROBBINS) 39

Glucose:
Intravenously injected, tolerance of normal and insulinized rats (CORI and CORI) 597
Oxidation in alkaline solutions of iodine (GOEBEL) 801
Specific dynamic action, urethane narcosis, influence (GUTTMACHER and WEISS) 283

Glutathione:
(HUNTER and EAGLES) 147
Colorimetric estimation (HUNTER and EAGLES) 177

Glutathione—*continued:*
Isolation (HOPKINS) 185
Sulfur, non-protein, compound of blood (HUNTER and EAGLES) 133
Glycocoll:
Specific dynamic action, urethane narcosis, influence (GUTTMACHER and WEISS) 283
Growth:
Chemical differentiation of bone during, parathyroid gland, rôle (HAMMETT) 505, 527
— — — — during, thyroid gland, rôle (HAMMETT) 505, 527
Diets rich in fat (LEVINE and SMITH) 223
Guanine:
Nucleotide, crystalline (BUELL and PERKINS) 21
—, tea leaves, isolation (CALVERY) 549

H

Heat:
Nutritive value of protein, effect (GOLDBLATT and MORITZ) 321
Vitamin A formation in plant tissues, influence (COWARD) 781
Hexonic acid(s):
Oxidation of aldoses with barium hypoiodite, preparation (GOEBEL) 809
Histidine:
Arginine, separation. II (VICKERY and LEAVENWORTH) 403
Hydrogen:
Ion concentration, serum of poikilothermous animal at different temperatures (AUSTIN, SUNDERMAN, and CAMACK) 677
— — 7.0, separation of histidine and arginine silver compounds at (VICKERY and LEAVENWORTH) 403
Hydrogen dioxide:
Bile pigments, action (VON OETTINGEN and SOLLMANN) 635
Hydrolysis:
Ester-hydrolyzing actions of human uterine fibroid and muscle extracts, time changes in (NOYES and FALK) 475
— — — rabbit tissue extracts, time changes in (FALK and NOYES) 489
— — — whole mouse extracts, time changes in (FALK and NOYES) 467
— — — — rat extracts, time changes in (NOYES and FALK) 449
Hyperglycemia:
Witte's peptone, produced by (MENTEN and MANNING) 255
Hypoglycemia:
Witte's peptone, produced by (MENTEN and MANNING) 255

I

Indophenol:
Phenol test (GIBBS) 649

XUM

Inorganic:
Phosphorus, blood, condition with reference to calcium concentration (GROLLMAN) 565

Insect:
Tissue, electro-Gutzeit apparatus for quantitative arsenic estimation (FINK) 737

Insulin:
(BLATHERWICK, BISCHOFF, MAXWELL, BERGER, and SAHYUN) 57
Fructose, intravenously injected, tolerance of insulinized rats (CORI and CORI) 597
Glucose, intravenously injected, tolerance of insulinized rats (CORI and CORI) 597
Ultra-violet radiation, destruction by (BURGE and WICKWIRE) 827

Iodine:
Alkaline solutions, oxidation of glucose (GOEBEL) 801

Ion:
Hydrogen, concentration, serum of poikilothermous animal at different temperatures (AUSTIN, SUNDERMAN, and CAMACK) 677
—, —, 7.0, separation of histidine and arginine silver compounds at (VICKERY and LEAVENWORTH) 403
Optical rotation affected by ionization. II (LEVENE, BASS, STEIGER, and BENCOWITZ) 815

Iron:
Nutrition. IV (HART, ELVEHJEM, WADDELL, and HERRIN) 299
Salts, soluble, nutritional anemia correction with (HART, ELVEHJEM, WADDELL, and HERRIN) 299

K

Ketonuria:
Seasonal occurrence in fasting rats, accompanied by changes in carbohydrate metabolism (CORI and CORI) 615

Ketopiperazine:
Ionization effect upon optical rotation (LEVENE, BASS, STEIGER, and BENCOWITZ) 815

L

Lecithin:
Blood, new born mice with inherited anemia (DE ABERLE, HOSKINS, and BODANSKY) 643
Corpus luteum, fatty acids (HART and HEYL) 395
Preparation and purification (LEVENE and ROLF) 587

Light:
Vitamin A formation in plant tissues, influence (COWARD) 781

Limulus:
Amebocytes, specific effect of salts in extraction of urease from (LOEB and BODANSKY) 415

Lipid:
Blood, variation in content in relation to menstrual cycle (OKEY and BOYDEN) 261
Liver:
Cystine (HUNTER and EAGLES) 167
Lymph:
Chemical composition, and blood, interrelationships (ARNOLD and MENDEL) 189

M

Magnesium:
Bone, during growth, parathyroid gland, rôle (HAMMETT) 527
—, — —, thyroid gland, rôle (HAMMETT) 527
α-Mannose pentacetate:
(LEVENE and BENCOWITZ) 627
Medium:
Synthetic, *Bacillus lactis aerogenes* grown on (HETLER) 573
Menstruation:
Lipid content of blood, variation in relation to menstrual cycle (OKEY and BOYDEN) 261
Mercuric chloride:
Bile pigments, action (VON OETTINGEN and SOLLMANN) 635
Metabolism:
Carbohydrate, changes in, accompanied by ketonuria in fasting rats (CORI and CORI) 615
Sugar, decrease by ultraviolet radiation (BURGE and WICKWIRE) 827
Metabolism—*continued:*
Women. III (OKEY and BOYDEN) 261
Methylethyl carbinol:
Methylpropyl carbinol, configurational relationships (LEVENE, HALLER, and WALTI) 591
Methylpropyl carbinol:
Methylethyl carbinol, configurational relationships (LEVENE, HALLER, and WALTI) 591
Milk:
Nutritional anemia on whole milk diets, ash of plant and animal tissues for correction (HART, ELVEHJEM, WADDELL, and HERRIN) 299
— — — — milk diets, soluble iron salts for correction (HART, ELVEHJEM, WADDELL, and HERRIN) 299
Mineral oil:
Carbon dioxide solubility in, and transfer from oil to air (KUBIE) 545
Nitrogen solubility in (KUBIE) 545
Oxygen solubility in (KUBIE) 545
Muscle:
Uterine, human, time changes in ester-hydrolyzing actions of extracts (NOYES and FALK) 475
Voluntary, beef, unsaturated fatty acids, distribution (BLOOR) 327

XUM

N

Narcosis:
Urethane, specific dynamic action of glycocoll and glucose in rabbits, influence (Guttmacher and Weiss) 283

Nitrogen:
Solubility in mineral oil (Kubie) 545

Nucleic acid:
Yeast, sodium carbonate action (Calvery) 27

Nucleotide:
Cytosine, isolation from tea leaves (Calvery) 549
Guanine, crystalline (Buell and Perkins) 21
—, isolation from tea leaves (Calvery) 549

Nutrition:
Ash of plant and animal tissues, nutritional anemia correction with (Hart, Elvehjem, Waddell, and Herrin) 299
Iron. IV (Hart, Elvehjem, Waddell, and Herrin) 299
— salts, soluble, nutritional anemia correction with (Hart, Elvehjem, Waddell, and Herrin) 299
Protein, heat effect on value (Goldblatt and Moritz) 321
—, oxidation effect on value (Goldblatt and Moritz) 321

O

Optical rotation:
Ionization, effect upon. II (Levene, Bass, Steiger, and Bencowitz) 815

Organic matter:
Bone, during growth, parathyroid gland, rôle (Hammett) 505
—, — —, thyroid gland, rôle (Hammett) 505

Ovary:
Chemistry. XII (Hart and Heyl) 395

Oxidation:
Aldoses, with barium hypoiodite, preparation of hexonic and bionic acids (Goebel) 809
Glucose, in alkaline solutions of iodine (Goebel) 801
Nutritive value of protein, effect (Goldblatt and Moritz) 321

Oxyadenine:
(Buell and Perkins) 745

Oxygen:
Solubility in mineral oil (Kubie) 545

P

Parathyroid:
Chemical differentiation of bone during growth, rôle (Hammett) 505, 527

Phenol:
Tests. III (Gibbs) 649

Phosphorus:
Bone, during growth, parathyroid gland, rôle (HAMMETT) 527
—, — —, thyroid gland, rôle (HAMMETT) 527
Inorganic, blood, condition with reference to calcium concentration (GROLLMAN) 565
Pigment:
Bile, hydrogen dioxide action on (VON OETTINGEN and SOLLMANN) 635
—, mercuric chloride action on (VON OETTINGEN and SOLLMANN) 635
Plant:
Tissue, green, other than leaves, vitamins A, B, and C (QUINN, BURTIS, and MILNER) 557
—, nutritional anemia correction with ash of (HART, ELVEHJEM, WADDELL, and HERRIN) 299
—, vitamin A, light and heat influence on formation (COWARD) 781
Poikilothermism:
Electrolyte composition of serum of poikilothermous animal at different temperatures (AUSTIN, SUNDERMAN, and CAMACK) 677
Hydrogen ion concentration of serum of poikilothermous animal at different temperatures (AUSTIN, SUNDERMAN, and CAMACK) 677
Pollock:
Blood sugar changes during asphyxia (MENTEN) 249
Polypeptide:
Ionization effect upon optical rotation (LEVENE, BASS, STEIGER, and BENCOWITZ) 815
Potassium iodide:
Shaffer-Hartmann micro sugar reagent, effect (DELONG) 731
Prolamin:
Behavior in mixed solvents. II (DILL) 239
Protein(s):
Acid dyes and, nature of combination between (CHAPMAN, GREENBERG, and SCHMIDT) 707
Nutritive value, heat effect (GOLDBLATT and MORITZ) 321
— —, oxidation effect (GOLDBLATT and MORITZ) 321
Sulfur. III (GORTNER and HOFFMAN) 433
—, labile and total, micro methods for determination (MAXWELL, BISCHOFF, and BLATHERWICK) 51

R

Radiation:
Ultra-violet, cholesterol ethers and esters, action (BILLS and MCDONALD) 13
—, insulin destruction by (BURGE and WICKWIRE) 827
—, sugar metabolism decreased by (BURGE and WICKWIRE) 827

XUM

Rickets:
Antirachitic substances. V (BILLS and MCDONALD) 13
— —. VI (BILLS) 751
Cholesterol ethers and esters, action of ultraviolet rays on, antirachitic value (BILLS and MCDONALD) 13

S

Salt(s):
Colloids, influence of content upon electromotive forces (BEUTNER and MENITOFF) 759
Iron, soluble, nutritional anemia correction with (HART, ELVEHJEM, WADDELL, and HERRIN) 299
Urease extraction from amebocytes of *Limulus*, specific effect (LOEB and BODANSKY) 415

Sculpin:
Blood sugar changes during asphyxia (MENTEN) 249

Serum:
Blood, calcium diffusibility (LOEB and NICHOLS) 687
Electrolyte composition, poikilothermous animal at different temperatures (AUSTIN, SUNDERMAN, and CAMACK) 677
Electrolytes. II (AUSTIN, SUNDERMAN, and CAMACK) 677

Serum—*continued:*
Hydrogen ion concentration, poikilothermous animal at different temperatures (AUSTIN, SUNDERMAN, and CAMACK) 677

Shaffer-Hartmann:
Micro sugar reagent, potassium iodide effect (DELONG) 731

Silver:
Histidine and arginine compounds, separation at hydrogen ion concentration 7.0 (VICKERY and LEAVENWORTH) 403

Sodium carbonate:
Yeast nucleic acid, action (CALVERY) 27

Solubility:
Carbon dioxide in mineral oil, and transfer of carbon dioxide from oil to air (KUBIE) 545
Nitrogen in mineral oil (KUBIE) 545
Oxygen in mineral oil (KUBIE) 545

Solution:
Iodine, alkaline, oxidation of glucose (GOEBEL) 801

Solvent:
Prolamin behavior in mixed. II (DILL) 239

Specific dynamic action:
Glucose, influence of urethane narcosis (GUTTMACHER and WEISS) 283
Glycocoll, influence of urethane narcosis (GUTTMACHER and WEISS) 283

Specificity:
Urease extraction from amebocytes of *Limulus*, specific effect of salts (Loeb and Bodansky) 415

Sugar:
Animal body, fate. IV (Cori and Cori) 597
— —, —. V (Cori and Cori) 615
Blood, changes during asphyxia in cod, sculpin, and pollock (Menten) 249
Metabolism, decrease by ultra-violet radiation (Burge and Wickwire) 827
Reagent, Shaffer-Hartmann micro, potassium iodide effect (DeLong) 731

Sulfides:
Blood action on (Denis and Reed) 385

Sulfur:
Non-protein, compounds of blood. I (Hunter and Eagles) 123
—, — — —. II (Hunter and Eagles) 133
Proteins. III (Gortner and Hoffman) 433
—, labile and total, micro methods for determination (Maxwell, Bischoff, and Blatherwick) 51

Sympectothion:
Sulfur, non-protein, compound of blood (Hunter and Eagles) 123

T

Tea leaves:
Chemistry. II (Calvery) 549
Cystosine nucleotide, isolation (Calvery) 549
Guanine nucleotide, isolation (Calvery) 549

Temperature:
Catalase reaction. V (Morgulis and Beber) 91
Correction in catalase determinations (Morgulis and Beber) 91
Electrolyte composition of serum of poikilothermous animal at different (Austin, Sunderman, and Camack) 677
Hydrogen ion concentration of serum of poikilothermous animal at different (Austin, Sunderman, and Camack) 677

Thiasine:
Structure and identification with ergothioneine (Newton, Benedict, and Dakin) 367

Thyroid:
Apparatus. XLIV (Hammett) 505
—. XLV (Hammett) 527
Chemical differentiation of bone during growth, rôle (Hammett) 505, 527

XUM

Thyroxin:
Isolation (KENDALL) 213
Tissue:
Animal, nutritional anemia correction with ash of (HART, ELVEHJEM, WADDELL, and HERRIN) 299
Buffering, indicated by carbon dioxide capacity of body (BROCKLEHURST and HENDERSON) 665
Fatty acids, unsaturated, distribution. II (BLOOR) 327
Insect, electro-Gutzeit apparatus for quantitative arsenic estimation (FINK) 737
Plant, green, other than leaves, vitamins A, B, C (QUINN, BURTIS, and MILNER) 557
—, nutritional anemia correction with ash of (HART, ELVEHJEM, WADDELL, and HERRIN) 299
—, vitamin A, light and heat influence on formation (COWARD) 781
Rabbit, time changes in ester-hydrolyzing actions of extracts (FALK and NOYES) 489
Tolerance:
Glucose intravenously injected, normal and insulinized rats (CORI and CORI) 597
Fructose intravenously injected, normal and insulinized rats (CORI and CORI) 597

U

Ultra-violet:
Radiation, cholesterol ethers and esters, action (BILLS and MCDONALD) 13
—, insulin destruction by (BURGE and WICKWIRE) 827
—, sugar metabolism decreased by (BURGE and WICKWIRE) 827
Urease:
Amebocytes of *Limulus*, specific effect of salts in extraction (LOEB and BODANSKY) 415
Urethane:
Narcosis, specific dynamic action of glycocoll and glucose in rabbits, influence (GUTTMACHER and WEISS) 283
Urine:
Zinc excretion (DRINKER, FEHNEL, and MARSH) 375
Uterus:
Fibroids, time changes in ester-hydrolyzing actions of extracts of (NOYES and FALK) 475
Muscle, time changes in ester-hydrolyzing actions of extracts of (NOYES and FALK) 475

V

Vitamin(s):
A, green plant tissues other than leaves (QUINN, BURTIS, and MILNER) 557

Vitamin(s)—*continued:*
A, plant tissues, light and heat influence on formation (COWARD) 781
—, quantitative determination (STEENBOCK and COWARD) 765
B, green plant tissues other than leaves (QUINN, BURTIS, and MILNER) 557
C, green plant tissues other than leaves (QUINN, BURTIS, and MILNER) 557
D, distribution and origin (BILLS) 751
Fat-soluble. XXVII (STEENBOCK and COWARD) 765
—, of egg yolk, affected by ration and management (BETHKE, KENNARD, and SASSAMAN) 695

W

Water:
Bone, during growth, parathyroid gland, rôle (HAMMETT) 505
—, — —, thyroid gland, rôle (HAMMETT) 505

Witte's peptone:
Hyperglycemia produced by (MENTEN and MANNING) 255
Hypoglycemia produced by (MENTEN and MANNING) 255

Y

Yeast:
Nucleic acid, sodium carbonate action (CALVERY) 27

Z

Zinc:
Excretion in urine and feces (DRINKER, FEHNEL, and MARSH) 375

XUM

XUM